

---

**SDS Report**

No. 1002

Date: Mar. 30. 2021



Trade Name : Ball pen ink (blue)  
End Uses : Writing  
Composition/Ingredient : See Section 3 Composition/information on ingredients on the SDS report

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives, Regulation (EC) No 1907/2006 , Regulation (EC) No 1272/2008, and is provided per attached.

**1: Identification of the substance/mixture and of the company/undertaking**

**Product identifier**

Trade name: Ball pen ink (blue)

Relevant identified uses of the substance or mixture and uses advised against  
Application of the substance /the mixture: Writing

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Tel: [REDACTED]

E-mail: [REDACTED]

**Further information obtainable from:**

Fengcheng Sanyou Pen Making Science and Technology limited company

**Emergency telephone number:**

Tel: [REDACTED]

**2 :Hazards identification**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS07



GHS09

Acute Tox. 4, H302;Harmful if swallowed.

Eye Irrit. 2.H319 Causes serious eye irritation.

Aquatic Chronic 3. H412 harmful to aquatic life with long lasting effects.

**Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to Regulation (EC) No 1272/2008.

**Hazard pictograms** GHS07 GHS09

**Signal word** warning

**Hazard statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

• **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501

Dispose of contents/container in accordance with  
local/regional/national/international

regulations.

• **Additional information:**

• Other hazards Not applicable.

• Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

### 3: Composition/information on ingredients

• **Chemical characterization: Mixtures**

• **Description:**

Mixture: consisting of the following components.

For the wording of the listed risk phrases refer to section 16.

<b>Components:</b>		
CAS: 100-51-6 EC: 202-859-9	Benzyl alcohol ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H332	15, 0%
CAS: 122-99-6 EC: 204-589-7	2-Phenoxyethanol ⚠ Acute Tox. 4, H302; ⚠ Eye Irrit. 2, H319;	15, 0%
CAS: 57-55-6 EC: 200-338-0	propane-1, 2-diol no hazards have been classified.	9, 0%
CAS: 25054-06-2 EC: 607-515-5	Formaldehyde, polymer with cyclohexanone no hazards have been classified.	26, 0%
CAS:24969-06-0 EC: 607-468-0	Epoxy resin no hazards have been classified.	11, 0%
CAS:9003-39-8 EC: 618-363-4	Polyvinylpyrrolidone (PVP) no hazards have been classified.	1, 0%
CAS: 112-80-1 EC: 204-007-1	oleic acid Elainic acid cis-9-Octadecenoic acid ⚠ Skin Irrit. 2.H315; ⚠ Eye Irrit. 2, H319;	1, 0%
CAS: 102-71-6 EC: 203-049-8	2, 2', 2' '-nitrilotriethanol tris(Hydroxyethyl)amine no hazards have been classified.	3%
CAS:72928-60-0 EINECS:277-086-3	Trihydrogen[29H, 31H-phthalocyaninetrisulphonato (5-)-N29, N30, N31, N32]cuprate (3-), compound with N, N'-di(o-tolyl)guanidine (1:3) ⚠ Acute Tox. 4.H302; ⚠ Eye Dam. 1, H318 ;	6%
CAS: 52080-58-7 EC: 610-776-8	[4-[4, 4'-Bis(dimethylamino)benzhydrylidene]cyclohexa-2, 5-dien-1-ylidene]methylimine C. I. 42535:1Solvent Violet 8 ⚠ Acute Tox. 4.H302; ⚠ Eye Irrit. 2.H319;	10%
CAS: 2390-60-5 EC: 219-232-0	Basic blue 7 ⚠ Acute Tox. 3 .H301; ⚠ Eye Irrit. 2.H319; ⚠ Aquatic Acute 1 .H400;	3, 0%

### 4 First aid measures

**Description of first aid measures**

**General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Call for a doctor immediately.

---

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

## 5 Firefighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**Special hazards arising from the substance or mixture** No further relevant information available.

**Advice for firefighters**

**Protective equipment:**

Wear fully protective suit.  
Mouth respiratory protective device.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

Avoid contact with skin.

**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling**

**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

**Information about fire - and explosion protection:** Normal measures for preventive fire protection.

**Conditions for safe storage, including any incompatibilities**

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in the original receptacle.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

**Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

### Control parameters

Ingredients with limit values that require monitoring at the workplace:	
100-51-6 Benzyl alcohol	
MAK (Germany)	nicht festgelegt
122-99-6 2-Phenoxyethanol	
MAK (Germany)	20 ml/m <sup>3</sup> , ppm
57-55-6 propane-1,2-diol	
MAK (Germany)	nicht festgelegt
102-71-6 2, 2', 2''-nitrilotriethanol	
MAK (Germany)	5E mg/m <sup>3</sup>

**DNELs:** Data not available.

**PNECs:** Data not available.

**Additional information:** The lists valid during the making were used as basis.

### Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure

#### Personal protective equipment

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

##### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

##### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

<ul style="list-style-type: none"> <li>• <i>Information on basic physical and chemical properties</i></li> <li>• <i>General Information</i></li> <li>• <i>Appearance:</i> <ul style="list-style-type: none"> <li><i>Form:</i> Gel</li> <li><i>Colour:</i> Blue</li> </ul> </li> <li>• <i>Odour:</i> Odourless</li> <li>• <i>Odour threshold:</i> Data not available.</li> </ul>	
• <i>pH-value:</i>	Data not available.
• <i>Change in condition:</i>	Data not available. Data not available.
<i>Melting point/Melting range:</i>	
<i>Boiling point/Boiling range:</i>	
<i>pH- value</i>	6~10
• <i>Flash point:</i>	100. 6°C.
• <i>Flammability (solid, gaseous):</i>	Not applicable.
• <i>ignition temperature:</i>	436. 1°C. ( Benzoyl alcohol)
• <i>Decomposition temperature:</i>	Data not available.
• <i>Self-igniting:</i>	Product is not selfigniting.
• <i>Danger of explosion:</i>	Product does not present an explosion hazard.
• <i>Explosion limits</i> <ul style="list-style-type: none"> <li><i>Lower:</i> Data not available.</li> <li><i>Upper:</i> Data not available.</li> </ul>	
• <i>Oxidizing properties:</i>	Data not available.
• <i>Vapour pressure:</i>	13.3 mm Hg ( 100 °C) ( Benzoyl alcohol)
• <i>Density:</i>	1.1 g/cm <sup>3</sup> (lit.)
• <i>Relative density:</i>	Data not available.
• <i>Vapour density:</i>	Data not available.
• <i>Evaporation rate:</i>	Data not available.
• <i>Solubility in/Miscibility with water:</i>	Data not available.
• <i>Partition coefficient (n-octanol/water):</i>	Data not available.
• <i>Viscosity:</i> <ul style="list-style-type: none"> <li><i>Dynamic:</i> 5000mpa. s±1000( 25 °C) by NDJ-79 viscometer</li> <li><i>Kinematic:</i> Data not available.</li> </ul>	
• <i>Other information</i>	Data not available.

## 10 Stability and reactivity

**Reactivity** No decomposition if used according to specifications.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Nitrogen oxides, carbon monoxide, carbon dioxide, nitrogen , acid smoke and fumes.

## 11 Toxicological information

- Information on toxicological effects
- Acute toxicity

<b>• LD/LC50 values relevant for classification:</b>		
<b>100-51-6 Benzyl alcohol</b>		
Oral	LD50	1230 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
<b>122-99-6 2-Phenoxyethanol</b>		
Oral	LD50	1260 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
<b>57-55-6 propane-1, 2-diol</b>		
Oral	LD50	20000 mg/kg (rat)
Dermal	LD50	20800 mg/kg (rabbit)
<b>9003-39-8 Polyvinylpyrrolidone (PVP)</b>		
Oral	LD50	>40000 mg/kg (mouse)
		100000 mg/kg (rat)
<b>112-80-1 oleic acid , pure</b>		
Oral	LD50	28000 mg/kg (mouse)
		74000 mg/kg (rabbit)
<b>102-71-6 2,2'-nitrioltriethanol</b>		
Oral	LD50	5846 mg/kg (mouse)
		2200 mg/kg (rabbit)
Dermal	LD50	>22500 mg/kg (rabbit)

**Primary irritant effect**

**on the skin:** Irritating effect.

**on the eye:** Irritating effect.

**Sensitization:** Sensitization possible.

**Toxicokinetics, metabolism and distribution:** No further relevant information available.

**Acute effects (acute toxicity, irritation and corrosivity):** No further relevant information available.

**Repeated dose toxicity:** No further relevant information available.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

No further relevant information available.

## 12 Ecological information

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability** No further relevant information available.

**Behaviour in environmental systems**

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

### 13 Disposal considerations

**Waste treatment methods**

**Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations

### 14 Transport information

• <i>UN-Number</i> <i>ADR, IMDG, IATA</i>	<i>Not applicable.</i>
• <i>UN proper shipping name</i> <i>ADR, IMDG, IATA</i>	<i>Not applicable.</i>
• <i>Transport hazard class(es)</i>  • <i>ADR, IMDG, IATA</i> • <i>Class</i>	<i>Not applicable.</i>
• <i>Packing group</i> • <i>ADR, IMDG, IATA</i> • <i>Marine pollutant:</i>	<i>Not applicable.</i>
• <i>Special precautions for user</i>	<i>Not applicable.</i>
• <i>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i>	<i>Not applicable.</i>
• <i>UN "ModelRegulation" :</i>	-

### 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture  
 MAK(German Maximum Workplace Concentration)**

**Ingredients with limit values that require monitoring at the workplace:**

100-51-6 Benzyl alcohol	
MAK (Germany)	nicht festgelegt
122-99-6 2-Phenoxyethanol	
MAK (Germany)	20 ml/m <sup>3</sup> , ppm
57-55-6 propane-1,2-diol	
MAK (Germany)	nicht festgelegt
102-71-6 2, 2', 2''-nitrilotriethanol	
MAK (Germany)	5E mg/m <sup>3</sup>

**•National regulations:**

•Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

**• Other regulations, limitations and prohibitive regulations**

• SVHC Candidate List of REACH Regulation Annex XIV Authorisation (30/3/2021)  
 None of the ingredients is listed.

• REACH Regulation Annex XVII Restriction(30/3/2021)  
 None of the ingredients is listed.

• REACH Regulation Annex XIV Authorization List (30/3/2021)  
 None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



**16 Other information**

**Relevant phrases**

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects  
H413 May cause long lasting harmful effects to aquatic life

\*\*\*\*\*

**Abbreviations and acronyms:**

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO:  
International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists DNEL: Derived  
No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

\*\*\*\*\*

End of document