



Test Report

Report No. : UNIB19060416HR-01

Page 1 / 6

Applicant : [REDACTED]

Address : [REDACTED]

Name of sample : USB FLASH DISK

Receiving Date : 2019.06.04

Test Date : 2019.06.04-2019.06.11

Test Location : Guangzhou Chemistry Laboratory

Test Method : Please refer to "Test Results"

Testing Item : Please refer to next page(s)

Decision Rule : RoHS Directive 2011/65/EU and Amendment (EU)2015/863.

Conclusion : Pass

Signed for and on behalf of
Shenzhen United Testing Technology Co.,Ltd

Huang Yong

Huang Yong
Approved Signatory

2019-06-17

Signatory Date



This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.
SZ: 2F, Annex Bldg, Jiahuangyuan Tech Park, #365 Baotian 1 Rd, Tiegang Community, Xixiang Str, Bao'an District, Shenzhen, China.
深圳市宝安区西乡街道铁岗社区宝田一路365号嘉皇源科技园附楼2楼(P.C.518102) Tel:+86-755-86180996 Fax:+86-755-86180156
GZ: #47-3, Industrial Road, Zhushan Village, Dalong Street, Panyu District, Guangzhou, China.
广州市番禺区大龙街竹山村工业路47-3 (P.C. 511450) Tel:+86-20-39277769 Fax:+86-755-86180156



Test Report

Report No. : UNIB19060416HR-01

Page 2 / 6

1、 Sample information

For samples, the information provided by the applicant is as follows:

Product Model : BPB103,BPB104,BPB105,BPB106,BPB108,BPB1010,BPB1011,BPB1012, BPB1015,BPB1016,BPB1017,BPB1018,BPB1019,BPB1020,BPB1021, BPB1022,BPB1023,BPB1024,BPB1025,BPB1028,BPB1029,BPB1030, BPB1031,BPB1033,BPB1034,BPB1035,BPB1036,BPB1037,BPB1038, BPB1039,BPB1040,BPB1041,BPB1042,BPB1043,BPB1044,BPB1045, BPB1046,BPB1047,BPB1048,BPB1049,BPB1050,BPB1052,BPB1053, BPB1054,BPB1055,BPB1056,BPB1057,BPB1058,BPB1059,BPB1063, BPB1064,BPB1065,BPB1067,BPB1069,BPB1071,BPB1072,BPB1073, BPB1074

Manufacturer : XXXXXXXXXX

2、 Conclusion

The sample was detected and according to the detection results, the conclusion are as follows:

Test item	Decision Rule	Conclusion
Pb、 Cd、 Hg、 Cr(VI)、 PBBs、 PBDEs、 DEHP、 DBP、 BBP、 DIBP	RoHS Directive 2011/65/EU and Amendment (EU)2015/863	Pass

3、 Sample Split

The sample is split according to IEC 62321-2:2013.

No.	Description	Material
No.1	Shell-Silver gray metal shell	Metal
No.2	Shell-White plastic case	Polymer
No.3	PCB-Green PCB	Polymer
No.4	PCB-Black IC	Polymer
No.5	Silver grey metal (USB)	Metal
No.6	Black plastic (USB)	Polymer
No.7	Silver grey pin (USB)	Metal

Note: This table is used to identify each test part of the Sample. Different descriptions in the "Description" column are only used to distinguish each test part. "Material" column are only gives a simple Description of the material of each test part, which does not mean that this is the result of a material identification.



Test Report

Report No. : UNIB19060416HR-01

Page 3 / 6

4、 Test Results

4.1 XRF screening

The total amount of lead, cadmium, mercury, chromium and bromine was screened by X-ray fluorescence spectrometer (XRF).

XRF screening technical requirements: Lead, Mercury: $\text{Pass} \leq 700 \text{ mg/kg} - 3\delta < C < 1300 \text{ mg/kg} + 3\delta \leq \text{Fail}$, Cadmium : $\text{Pass} \leq 70 \text{ mg/kg} - 3\delta < C < 130 \text{ mg/kg} + 3\delta \leq \text{Fail}$, Chromium : $\text{Pass} \leq 700 \text{ mg/kg} - 3\delta < C$, Bromine : $\text{Pass} \leq 250 \text{ mg/kg} - 3\delta < C$. "C"=Indicates that a chemical test is required. Chromium pass meets Hexavalent Chromium standards compliant, Bromine pass means that PBBs and PBDEs are standards compliant.

DEHP、DBP、BBP、DIBP is used for GC-MS quantitative test. According to the requirements of the RoHS Directive, The content of DEHP, DBP, BBP and DIBP $\leq 0.1\%$.

4.1.1 No.1

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	--	--	--	--	--
DEHP	117-81-7	--	--	--	--	--
DBP	84-74-2	--	--	--	--	--
BBP	85-68-7	--	--	--	--	--
DIBP	84-69-5	--	--	--	--	--

4.1.2 No.2

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	IEC 62321-3-1:2013	20	ND	mg/kg	Pass
DEHP	117-81-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DBP	84-74-2	IEC 62321-8:2017	50	ND	mg/kg	Pass
BBP	85-68-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DIBP	84-69-5	IEC 62321-8:2017	50	ND	mg/kg	Pass

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.



Test Report

Report No. : UNIB19060416HR-01

Page 4 / 6

4.1.3 No.3

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	IEC 62321-3-1:2013	20	ND	mg/kg	Pass
DEHP	117-81-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DBP	84-74-2	IEC 62321-8:2017	50	ND	mg/kg	Pass
BBP	85-68-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DIBP	84-69-5	IEC 62321-8:2017	50	ND	mg/kg	Pass

4.1.4 No.4

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	IEC 62321-3-1:2013	20	ND	mg/kg	Pass
DEHP	117-81-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DBP	84-74-2	IEC 62321-8:2017	50	ND	mg/kg	Pass
BBP	85-68-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DIBP	84-69-5	IEC 62321-8:2017	50	ND	mg/kg	Pass

4.1.5 No.5

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	--	--	--	--	--
DEHP	117-81-7	--	--	--	--	--
DBP	84-74-2	--	--	--	--	--
BBP	85-68-7	--	--	--	--	--
DIBP	84-69-5	--	--	--	--	--

4.1.6 No.6

Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	IEC 62321-3-1:2013	20	ND	mg/kg	Pass
DEHP	117-81-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DBP	84-74-2	IEC 62321-8:2017	50	ND	mg/kg	Pass
BBP	85-68-7	IEC 62321-8:2017	50	ND	mg/kg	Pass
DIBP	84-69-5	IEC 62321-8:2017	50	ND	mg/kg	Pass

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.



Test Report

Report No. : UNIB19060416HR-01

Page 5 / 6

4.1.7 No.7


Test item	CAS No.	Test Method	MDL	Result	Unit	Judgment
Lead(Pb)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Cadmium(Cd)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Mercury(Hg)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Chromium(Cr)	--	IEC 62321-3-1:2013	10	ND	mg/kg	Pass
Bromine(Br)	--	--	--	--	--	--
DEHP	117-81-7	--	--	--	--	--
DBP	84-74-2	--	--	--	--	--
BBP	85-68-7	--	--	--	--	--
DIBP	84-69-5	--	--	--	--	--

Note:

- 1、1mg/kg = 0.0001%
- 2、ND= Not Detected(<MDL)
- 3、“--”=No Testing or blank or not applicable.
- 4、Polybrominated biphenyls (PBBs) include:Monobromobiphenyl,Dibromobiphenyl、Tribromobiphenyl、Tetrabromobiphenyl、Pentabromobiphenyl、Hexabromobiphenyl、Heptabromobiphenyl、Octabromobiphenyl、Nonabromobiphenyl、Decabromobiphenyl.
- 5、Polybrominated diphenyl ethers (PBDEs) Included:Monobromodiphenyl ether、Dibromodiphenyl ether、Tribromodiphenyl ether、Tetrabromodiphenyl ether、Pentabromodiphenyl ether、Hexabromodiphenyl ether、Heptabromodiphenyl ether、Octabromodiphenyl ether、Nonabromodiphenyl ether、Decabromodiphenyl ether.

This document cannot be reproduced except in full, without the prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. To check the authenticity of testing report, please contact us.

5、 Sample Photo



The sample picture is only used to inform the applicant that the sample received by the laboratory is shown in the picture, which does not prove the appearance and quality of the applicant's products.

*****End of Report*****

Note: This report must have the signature of the authorized signatory and the special seal of the report, otherwise it will be considered invalid.

This report shall not be modified, added or deleted without authorization. This report is valid only for samples presented in the “Sample Photo”.

If there is any objection to the test datas and conclusions of this report, please submit it in writing within 10 working days after the date of issuance of the report.

Without the written consent of the company, this report shall not be copied (except for full copy), nor shall it be used as publicity materials or advertising.

The cover of the report is for decoration only, not included in the body of the report.

The paper report issued by the company has the same effect as the electronic report. When there is a difference between the two contents, the paper report shall prevail.