



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 1 of 12

MSDS

According to ISO 11014-2009

Applicant: Shenzhen bursto electronic technology co, LTD

Address: No. 289, Huafan Road, Dalang street, Longhua District, Shenzhen

Product Name: Dry Battery

Issue Date: Dec. 29th, 2023

Edited By: Dongguan JTT Testing Technology Co., Ltd

Approved by: _____

Thomas Su



This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 2 of 12

Section 1 - Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Dry Battery

Model No: R03, R6, R03P, R6P, LR03, LR6, R14P, R20P, LR14, LR20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For power supply.

Uses advised against: No information available.

1.3 Details of the supplier of the material safety data sheet

Manufacturer/Supplier: Shenzhen bursto electronic technology co, LTD

Address: No. 289, Huafan Road, Dalang street, Longhua District, Shenzhen

1.4 Emergency telephone number: 13590165655

Section 2 - Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation GHS

This product is not classified according to the GHS regulation.

2.2 Label elements

Labeling according to Regulation GHS

This product is not classified and labeled according to the GHS regulation.

Hazard pictograms: N/A

Signal word: N/A

Hazard statements: N/A

Precautionary statement: N/A

Hazards not otherwise classified (HNOC): No further relevant information available.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 3 of 12

2.3 Other hazards:

The battery is not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's risk of rupture, heat, leakage of internal components, which could cause casualty loss and harm to the environment. Abuses including but not limited to the following cases: put into fire, whacked with hard object, punctured with acute object, crushed and broken.

Section 3 - Composition/Information on Ingredient

3.1 Chemical characterization: Mixture.

Description: No information available.

Product: Consisting of the following components.

Chemical Name	CAS No.	EC No.	Concentration
Manganese Dioxide	1313-13-9	215-202-6	40%
Zinc Metal	7440-66-6	231-175-3	30%
Carbon Black	1333-86-4	215-609-9	8%
Potassium hydroxide	1310-58-3	215-181-3	10%
Water	7732-18-5	231-791-2	10%
Other	--	--	2%

Section 4 - First Aid Measures

4.1 Description of first aid measures

The battery in the product is not hazardous with eye and skin contact under normal circumstance. In case of fire or rupture, the leakage of internal hazardous substance or formation of hazardous substance would occur, take the following measures if contact with it:

After inhalation:

If feel unwell, move to fresh air immediately and keep breathing in a comfortable position. If symptoms persist, get medical aid.

After skin contact:

Remove all contaminated clothing. Rinse skin with plenty of water and soap. Get medical advice.

After eye contact:

Rinse eyes with water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical advice.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 4 of 12

After Ingestion:

Rinse mouth with water. Get medical aid. Do not induce vomiting unless directed by a medical professional.

Information for doctor:

Doctors need to make judgments based on the patient's reactions and provide treatment.

4.2 Most important symptoms and effects, both acute and delayed:

Contact with the contents of the battery can cause severe skin burns and serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

Section 5 – Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use water spray, dry chemical, carbon dioxide, chemical foam or sand.

Unsuitable extinguishing agents: No information available.

5.2 Special hazards arising from the substance or mixture:

Improper use of batteries poses a risk of content leakage. The smoke generated by heating or combustion has a certain degree of irritancy and corrosiveness.

5.3 Advice for firefighters

Firefighters should wear appropriate breathing apparatus and protective equipment. Move containers to open space if possible. Spray water to keep the container cool until the fire is over.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Quickly evacuate personnel from the contaminated area to a safe area, set up warning signs around, and strictly restrict entry and exit. It is recommended that emergency response personnel wear protective equipment as required. Avoid inhaling vapors, aerosols or gases. Do not contact the leakage directly. Cut off the source of leakage as much as possible. Flush the floor with plenty of water and put the diluted wash water into the waste water system.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 5 of 12

6.2 Environmental precautions:

Take measures to prevent further leaks or spills while ensuring safety. Do not allow product to enter sewer or waterways. Prevent discharge into the surrounding environment.

6.3 Methods and material for containment and cleaning up:

Absorb spilled material with an inert absorbent(dry sand and earth). Sweep and shovel contaminated absorbent into a suitable container for proper disposal.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

7.1 Precautions for safe handling:

Pay attention to ventilation. Operators must be specially trained and strictly follow the operating procedures. Operators should wear safety protective equipment as required. Avoid inhaling vapors, aerosols or gases. Keep away from heat and fire. Handling should be careful to prevent damage to the packaging and containers. Equipped with corresponding varieties and quantities of fire equipment and leakage emergency treatment equipment.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated place, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

7.3 Specific end use(s):

No further relevant information available.

Section 8 - Exposure controls/personal protection

Appropriate engineering controls:

Maintain adequate ventilation.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jttdlab.com

<https://www.jttdlab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 6 of 12

Respiratory Protection:

No required for consumer use. If there is a Hazard of contact, use self-contained full-face respiratory equipment.

Hand Protection:

No required for consumer use. If there is a Hazard of contact, wear protective gloves.

Eye protection:

No required for consumer use. If there is a Hazard of contact, wear safety goggles.

Skin Protection:

No required for consumer use. If there is a Hazard of contact, wear protective clothing.

Environmental exposure controls:

Control measures must comply with Community environmental protection legislation.

Other protection:

Attention to personal hygiene.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Solid
Colour:	/
Odour:	Odourless
PH-value:	/
Melting point/Melting range(°C):	/
Boiling point/Boiling range(°C):	/
Flash point(°C):	/

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 7 of 12

Vapour pressure(MPa):	/
Density(g/cm ³):	/
Solubility in water (g/l):	Insoluble in water
Partition coefficient (n-octanol/water):	/
Kinematic viscosity(mm ² /s):	/
Other information:	/

9.2 Additional information: No data available.

Section 10 - Stability and Reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions.

10.2 Chemical stability

Stable under normal conditions of use, storage and transport.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Heat above 70°C or incinerate, deform, mutilate, crush, disassemble. Expose over a long period to humid conditions.

10.5 Incompatible materials

Strong acids, Oxidizing agents.

10.6 Hazardous decomposition products

When exposed to fire or extreme heat, batteries may emit toxic fumes.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 8 of 12

Section 11 - Toxicological Information

Acute toxicity:

No data available.

Skin corrosion/irritation:

Contact with internal contents may cause serious skin burns.

Serious eye damage/irritation:

Contact with internal contents may cause serious eye damage.

Respiratory or skin sensitization:

Contact with internal contents may cause respiratory or skin allergies.

Toxicokinetics, metabolism and distribution:

No data available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

No data available.

Section 12 - Ecological Information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 9 of 12

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects

No further relevant information available.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with applicable regional and local laws and regulations.

Section 14 - Transport Information

ADR, RID, ADN, IMDG, IATA

UN No.: 3028

UN correct shipping name:

BATTERIES, DRY, CONTAINING
POTASSIUM HYDROXIDE SOLID,
electric storage

Shipping labels and markings:



Rules for the Transport of Dangerous Goods by Sea (IMDG Code)

Packing category:

III

Main hazard category:

8

Minor hazard category :

None

Special regulations for transportation:

295, 304

Limited quantity:

5kg

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jttl.com

<https://www.jttl.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 10 of 12

Exception quantity:	E0
Packaging and bulk packaging guidelines:	None
Packing and large packing regulations:	None
Guidelines for medium bulk containers:	None
Requirements for medium bulk containers:	None
Guidelines for tanks and bulk containers:	None
Tank cabinet regulations:	None
EmS No.:	F-A, S-B
Marine pollutants:	None

Rules for the Transport of Dangerous Goods by Air (IATA DGR)

Packing category:	Not applicable
Main hazard category:	8
Minor hazard category:	None
Exception quantity:	E0
Passenger and freight limited quantity packaging guidance:	Forbidden
Maximum net weight of a single piece for passenger and freight transportation in limited quantities:	Forbidden
Passenger and freight packaging guidelines:	871
Maximum net weight of passenger and freight orders:	25kg
Shipping packaging guide:	871
Maximum net weight of freight order:	30kg
Special regulations for transportation:	A183 A184 A802
ERG code:	8L

Rules for land transportation of dangerous goods (ADR)

Packing category:	The packaging requirements refer to the packaging specifications corresponding to the UN number
-------------------	---

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 11 of 12

Main hazard category:	8
Minor hazard category:	None
Special regulations:	295,304,598
Limited quantity:	2kg
Exception quantity:	E0
Packaging rules:	P801
Special packaging regulations:	None
Mixed packaging regulations:	None
Specification for portable tanks and bulk containers:	None
Special regulations for portable tanks and bulk containers:	None
ADR tank code:	None
ADR tank special regulations:	None
Tank transport vehicle:	None
Transportation classification (tunnel traffic restriction code):	3(E)
Special regulations for transportation (packaging):	None
Special regulations for transportation (medium bulk containers):	VC1 VC2 AP8
Special regulations for transportation (handling and handling):	None
Special regulations for transportation (operations):	None
Hazard identification code:	80

Section 15 - Regulatory Information

Dangerous Goods Regulations

Recommendations on the Transport of Dangerous Goods-Model Regulations

International Maritime Dangerous Goods

Regulations concerning road transportation of dangerous goods

Agreement concerning the International Carriage of dangerous Goods By Road

Technical Instructions for the Safe Transport of Dangerous Goods

Classification and code of dangerous goods

Occupational safety and Health Act(OSHA)

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jttdlab.com

<https://www.jttdlab.com>



Material Safety Data Sheet

According to ISO 11014-2009

Report No.: JTT231228003JE

Date: 2023-12-29

Page 12 of 12

Toxic Substance Control Act (TSCA)
 Consumer Product Safety Act(CPSA)
 Federal Environment Pollution Control Act(FEPCA)
 The Oil Pollution Act(OPA)
 Superfund Amendments and Reauthorization Act Title III (302/311/312/313)(SARA)
 Resource Conservation and Recovery Act(RCRA)
 Safety Drinking Water Act(CWA)
 California Proposition 65
 Code of Federal Regulations(CFR)

Section 16 - Additional Information

Reference: N/A

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

This document cannot be reproduced except in full, without prior written approval of JTT. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan JTT Testing Technology Co., Ltd

Room 317, Meishang Building, No. 1, Qinghua Road, Dongguan City, Guangdong Province, China

Tel: 0769 - 3353 5586

Email: service@jtflab.com

<https://www.jtflab.com>